PERMIT#		LOT: BLOCK:
PERMIT #	2. INTERIOR LOAD-BEARING WALLS: 1 st 2 no 3 no 4 th Floor 1	3. INTERIOR NON-LOAD-BEARING WALLS: 1 ST 2 ND 3 RD 4 TH FLOOR B [] B [] B [] B [] SIZE B [] B [] B [] B [] SPACE T B [] B [] B [] B [] SPECIES AND GRADE ADE B [] B [] B [] B [] CUTTING, NOTCHING AND BORING ING B [] B [] B [] B [] FIRE BLOCKING B [] B [] B [] B [] HEADER SIZES B [] B [] B [] B [] TOP PLATE NAILING
D. ROOF FRAMING 1. TRUSS ROOF FRAMING (AS PER DESIGN): APPROVED DOCUMENTS WHICH SHOW: B [] LAYOUT PLANS B [] TRUSS MEMBERS B [] CONNECTION SCHEDULE B [] PERMANENT BRACING DETAILS B [] DORMERS/ROOF STRUCTURES ON MANUFACTURER'S DRAWINGS B [] EQUIPMENT/APPLIANCES ON MANUFACTURER'S DRAWINGS B [] LOCATION AS PER LAYOUT B [] ALIGNMENT B [] SPACING B [] CONNECTIONS TO BEARING POINTS B [] NO CONNECTION TO NON-BEARING POINTS B [] DAMAGE AND DEFECTS B [] ENGINEERED METHOD OF REPAIR	B I B I B I B I STRAPPING 2. PERMANENT TRUSS-TO-TRUSS BRACING (AS PER DESIGN): B I LAYOUT B I SIZE B I TYPE B I NAILING B I OVERLAP B I TERMINATION B I TRANSITION (I.E., CROSS) BRACING 3. GABLE END BRACING (AS PER DESIGN): B I LAYOUT B I SIZE B I TYPE D I NAILING B I OVERLAP B I OVERLAP B I TERMINATION	4. SOLID SAWN ROOF FRAMING: B I SIZE B I GRADES, SPECIES LAYOUT B I SPACING B I SPAN B I BEARING B I FASTENING B I DAMAGE CAUSED BY FASTENERS (RAFTERS NOT SPLIT BY TOENAILS) B I CUTTING, NOTCHING, AND BORING B I BRIDGING B I RIDGE SIZE B I HURRICANE TIES WHERE APPLICABLE
E. SHEATHING 1. SHEATHING - EXTERIOR WALLS: MATERIAL B Panel Span, Thickness SPECIAL REQUIREMENTS B Gapping Layout B Corner Bracing (if require		AYOUT
	Initials: Resp. Person in Charge of Work	Building Inspector

PERMIT # BLOCK

FRAMING CHECKLIST

Instructions: Builder or Builder's representative checks boxes marked 'B'. Building Inspector checks boxes marked 'I'. Responsible Person in Charge of Work signs, initials and dates in spaces provided. Building Inspector initials and dates in spaces provided.

NOTE: ALL ITEMS SHOULD BE AS SHOWN ON THE PLANS OR AS REQUIRED BY CODE.

BOLTS B Size B Bearing/Shims B Spacing B Spacing B Size B Bearing/Shims B Spacing B Spacing B Size B Termite Protection or Clearance B Attachment/Plates B Spacing/Location B Paint/Coating B Paint/Coating B Spacing (Per Manufacturer's Specs) B Size B Proper Treatment over Foundation Openings (Bearing of Joist) B Termite Protection B FLOOR FRAMING AND FLOORING	A. BASEMENT OR CRAWL SPACE			
1. BOX OR RIM JOIST, OR PERIMETER BAND JOIST: 18	BOLTS B T SPACING B T SIZE STRAPS B T SPACING (PER MANUFACTURER'S SPECS)	B SIZE B GRADE, SPECIES B TREATMENT B LAPS B SILL SEALER B PROPER TREATMENT OV	B I BEARING/SHIMS B I TERMITE PROTECTION OR CLEA	B SIZED PER PLAN B ATTACHMENT/PLATES B SPACING/LOCATION B PAINT/COATING
4. FLOORING, SHEATHING, OR DECKING: 1 **	1. BOX OR RIM JOIST, OR PERIMETER BAND JOIST: 1 ST 2 ND 3 RD 4 TH FLOOR B I B I B I B I GRADE, SPECIES B I B I B I B I SINGLE OR DOUBLE B I B I B I B I PRE-ENGINEERED PER M FACTURER'S SP	2. GIRDERS AND BEAMS B I SIZED PER PLAN B I TYPE B I GRADE, SPECIES B I LOCATION AND REI TO THE ECS B I NAILING ESIGN B I ATTACHMENT SCHE B I BEARING	1 ST 2 ND 3 RD 4 TH B B B B B LATION B B B B E PLAN B B B B B EDULE B B B B B B B B B B	SIZED PER PLAN GRADE, SPECIES PRE-ENGINEERED COMPONENTS AS SPECIFIED BEARING NAILING BRIDGING CUTTING AND NOTCHING (AS PER CODE) POINT LOADS – SUPPORTED AS PER PLAN SPAN HANGERS HEADERS
MATERIAL B B B B B B NAILING B B B B B B NAILING B B B B B B B B B	4. FLOORING, SHEATHING, OR DECKING:	5. STAIR ATTACHMENT:		
B I B I B I B GAPPING B I B I B I B I B I B I B I B I B I B I	MATERIAL	HI BI BI	B BEARING	
	B B B B EDGE BLOCKING (IF REC	I hereby certify that I inspect		
	U.C.C. F390-1 (rev. 03/09)	Responsible Person in Charg	ge of Work:	Date: